

(Microsoft® Windows® 98 Operating System)







10 00000000	5
	. 7
	. 8
[Volume Control]	
00000000000000000000000000000000000000	
DMD-Vi deo [] [] []	
Windows [] [] [] [] [] [] [] [] [] [
Valke on LAN□□□□□	
Wake on LAN	
Wake on LAN□□□	
	34


20 000000000000000000000000000000000000	. 35
	36
	36
	37
	37
	38
ΦU[] [] [] []	40
	41
	42
	42
30 000000000000000000000000000000000000	. 43
	. 43 44
	44
	44
3	44
	44
	47
	48
PC [] [] [] [] []	48
Launch Manager	48
	48
🛮 🗎 LAN Client Manager	49
BEAMSTAR	50
VirusScan	51
Intel SpeedStepTM Technology	
Appl et	
Intel LANDesk Client Manager	
Norton Chost 2002	52
Easy OD Creator	
ATCK	
Acrobat Reader	
CyberSupport for HTACH	
	53
	55
40 000000000000000000000000000000000000	. 55
	56
3	59

	. 60 . 61 . 62 . 63 . 65 . 66 . 68 . 69 . 69
Intel SpeedStepTM Technology Applet. Intel LANDesk Client Manager DDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDD	. 72 . 72 . 73 . 73 . 74 . 74
5	. 92 . 96 . 100
	104
חחח	105


1 1					
	Ш				








- 2 (0 0 0) 0 0 0 0 0 0 0 0 0 0 0 0 0 0




ヒント


- 1 (000000000)0 (000)000000000





- 2 (0000000)0 10 (00)000 (00)00000000







[Fn] [[F12]

ヒント




000000






重要


ヒント



f 1 (0000)000 – (00) – (00000000)0000000












- 2 (00)000000000



- 4 (0) 0 0 0 0 0 0 0 0 0 0



L.7



	[] *1	000000
	256 🛮	
640 × 480	Hgh Color (16 🛮 🗎 🕽	
	True Color (32 🛮 🗎 🗎)	
	256 []	
800 × 600	Hgh Color (16 🛮 🗎 🕽)	
	True Color (32 🛮 🗎 🕽)	
	256 []	
1024 × 768	H gh Color (16 🛮 🗘)	
	True Color (32 🛮 🗎 🕽)	
	256 []	
1280 × 1024 *2	H gh Color (16 🛮 🗘)	
	True Color (32 🛮 🗎 🗎)	

Direct X													
	Windo	WS [


重要


ヒント

* [00]00000000 0000000000

ヒント

* 000000000000






重要










■ [[F6(Vol Up)] [F6(Vol Up)]

■ [[F5(Vol Dn)] [■ [F5(Vol Dn)] [

重要



- **1**000000 (00)00000000000
 - 4



[Volume Control] []



ヒント

★[0000]00000(**▽**)

ヒント

ヒント



- **2** (0000000)0000000000





ヒント






- (0000)000000000000000





- @ юм______
- (00)0000000000



9 (0) 0 0 0 0 0 0 0 0 0



DVD Vi deo [] [] [] []

DMA [] [] [

 DVD-ROM
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0
 0</

- - 0 0000000000000

- 7 (00)0000000000
 - [] Windows [] [] [] [] [] [] []

ヒント

重要

ヒント


重要





- [[Internet] [] [Internet Explorer
- [Mail] [Outlook Express
- ☐ Launch Manager □ [P1] □ □
- □ [P2] □ □
- | Launch Manager | Launch Manager □ P □ □ □ □

- 1 [_ _ _ _] _ _ _ _ [_ _ _ _] [Launch Manager] [Launch Manager] | | | | | | | | | |




- - ☐ [Cust oninze Launch Keys] ☐ ☐ ☐ ☐ ☐ ☐ ☐



- 4 [0] 0 0 0 0 0 0 0 0 0 0

ヒント






300000000000



4 [0] 0 0 0 0 0 0 0 0 0 0



- * 0000000





- (000000)0000000000
- [______(IRQ]____[[/O]_____]__]





П	П	П	П	П	П	П	П	П	П
Ш	Ш	Ш	Ш	Ш	Ш	\sqcup	Ш	Ш	Ш

П																			
I																			
II												31 (25						
								В	l C	3] [] [] [] [] [] [

00000000000000

100000000000

重要

参照

重要

重要

重要


BlosUtility

SystemInfornation Basic SystemSettings Startup Configuration Onboard Devices Configuration SystemSecurity Load Default Settings

 $\uparrow \downarrow$ = Move highlight bar, $\downarrow \downarrow$ = Select, Esc = Exit

$oldsymbol{3}$ [\downarrow] [] [[SystemSecurity] [] [] [] [] [[[Enter]] [] [] [] [

System Securi ty	Page 1/1
Set up Password [None] Power- on Password [None] Hard Disk Password [None]	
$\uparrow\downarrow=$ Move highlight bar, $\leftarrow\rightarrow=$ Change setting	л, F1 = Fel р



2 (ESC) [] [] [] []

Settings have been changed. Do you want to save CMOS settings[]

[Yes] [No]

3 [←][[][[→][][[[Yes][][][[Enter][][][][]



- 1 [BIOS Utility] [] [] [SystemSecurity] [] [] [] [] [] []
- 2 [Set up Password] [] [] [Power-on Password] [] [] [] [←] [] [] [
 [→] [] [] [] [] [] [] [Present [] [] [None [] [] [[←] [] [] []

ヒント

Setup Password Power-on Password
$oxed{1}$ [BIOS Utility] $oxed{0}$ $oxed$
2 [Set up Password] [] [[Power-on Password] [] [[←] [] [[[←] [] [[[←] [] [
3
Hard Disk Password □ □ □
$oxed{1}$ [BIOS Utility] $oxed{0}$ $oxed$
2 [Hard Disk Password]
3 0 0 0 0 0 0 0 0 0 0 (Enter) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
4 0000000000000000000000000000000000000

Walke on LAN | | | | | |

l													
l		V۷	ke	on L	AN□								

Wake on LAN [] []

Wake on LAN [] - [

BI OS [] [] [] [] []

- **1**00000000000
- 3 [↓] [[[Startup Configuration] [] [[[Enter] [] [
 - [] [Startup Configuration] [] [] [] [] [] []
- **5** (**ESQ** 0 0 0 0 0 0
 - [Blos Utility]

重要


ヒント

* [Resume on LAN Access] []

[] [] [] [Orboard

Devices Configuration] [
[LAN] [[Enabled] [] [] [

- **6** [ESQ] [] [] [] []
- $7 \leftarrow 0 = 0 = 0$



- **1**000000000000
- - [] [Boot Menu] [] [] [] [] [] []




- 1:BlOS[][][Orboard Devices Configuration][[Floppy Disk Controller][[Disabled][][][][][][][][][][][]
- 3 ______ [↑][↓]_______[Enter]_____

ヒント

重要

- ⊚ [Intel Boot Agent Setup Program [] [] [] [] [] [] []







0.0	۵ ۵	00000


重要

٦ .					
1	ı				ı
1	ı				ı
_	\blacksquare		\blacksquare		

л	0	Δ	0	Z,	0	15	0	Z,	0	V	0	Δ	ŀ
													ı
$\overline{}$												$\overline{}$	ı

0000000

- 1 (0000)000 (00) (00000000)00000 000(0000000)0000(00000)000000



ヒント




- ∅ []]]] []] []] []] []] []] []] []] []] []] [] []] [] []] [] [] [] [] []] [] []] []

- **3** (00)00000000000
- 5 (00 10000000000
 - [[Intel(R) 82830M Graphics Controller [] [] [] [] [] [] []

- 1 (0000)000 (00000) (0000000) (00000000)
- 2 (00)0000000000
- [Windows | | | |] | | | |

重要

ヒント



000000000



- 1 (0000)000 (00) (00000000)00000 000(0000000)0000(00000)000000



3(00)0000000000

重要

ヒント


ヒント



- 1 (0000)000 (00) (00000000)00000 000(0000000)0000(00000)000000 0000000



ヒント



0000000000000000

00000000000000000


0000000000

00000000

重要

重要

- 0 0 0 0 0 0 0 0 0 0 0 0 0 400 0 0 0 0 0 0 0 0 0 0 0 00 0 0 0 0 0 0 0 0 0 0



3[]

LANGOGOGOGOGOGOGOGOGOGOGOGOGOGOGOGOGOGOGO
3
[Intel(R) 82830M Graphics Controller]

重要

, , , , , , , , , , , , , , , , , , ,	

- 00000000000000000000

- - Synapti cs TouchPad'
- 6 $[\infty]$
- 8 Windows [] [] [] [] [] [

重要

ヒント

ヒント

- 00100000000000


- //ncbws | | | | | | | | | | |

000000000000000
1
2 Wndows [] [] [] [] [] [] [] [] [] [
3 (C) ROM() () () () () () () () () () () () () (
4 000000000000000000000000000000000000
5 [0 0] 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
6 []]]]]]] [

| Windows | | | | | | | | | | |


重要

ヒント



Anager LAN Client Manager

OO LANOOOOO



___ LAN____

参照

重要

ヒント

- **2** (00)0000000000

- $oldsymbol{6}$ (aa)aaaaaaaaaaaaaaaaaaaaaaaaaaaa

BEAMSTAR [] [] [] []

重要

ヒント

Vi rusScan

□ VirusScan : □ □ □ □ □ □ □ □ □ □ □

ヒント

Vi rusScan 🛮 🗎 🗎 🗎 🖺 🖺

_____ MQ_____ VirusScan http://www.hitachi.co.jp/Prod/comp/OSD/vakzin/na/vakzin_na.htm □ VirusScan □ □ □ □ □ □ □ □ □ [McAfee VirusScan □ □] □ □ □ □ □ □ □ 00000000000000000

Intel® SpeedStepTM Technology Applet

Intel® LANDesk® dient Manager



Norton Chost 2002

Easy CD Creator

	_		_	_
-	п	0		Δ
				Ш

П	П	П	П	П	П	П	П	П	П	П	П	П	П	П	П	П	П	П	П	П	П	П	П	П	П	П	П	П	П	П

ATCK

Acrobat Reader

Cyber Support for H TACH

参照

参照


参照

0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
Windows
Windows [] [] [] [] [] [] [] [] [] [

4 []

П	П	П	П	П	П	
				ш		ш

 $\ \, 0\ \, 0\ \, 0\ \, 0\ \, 0\ \, 0\ \, 0\ \, 0\ \, 0$



重要

							_	
 	 1 1	 	 	 	 	7	 	
 	1 1	 	 	 	 			
 	 1 1	 	 	 	 			
 	1 1	 	 	 	 			
	1 1	 	 	 	 			
 	 		 	 	 	1		

	0000000						
	0000 ×000	00000000000000000000000000000000000000					
3 FD							
PC							

ヒント

重要



- - [Intel(R) 82830M chi pset Graphics Driver Software]]]]]]
- **3**(00)0000000000



ヒント

- 0000000000000





4 (00)0000000000

重要

ヒント


ヒント

 $\mathbf{5}$ $\mathbf{0}$ $\mathbf{0}$





- 4 (00)0000000000



- 9 (00 100000000000
- **10** 00 100000000000
- - | Windows | | | | | | | | | | | | |

ヒント

重要

ヒント

LANGAGAGAG

- $oldsymbol{1}$ $oldsymbol{ iny}$

- **6**(00)0000000000
- 8 (000000)0000000000
- 9 [_ _ _ _ _ _ _] _ _ dt *programs**win98*4 an _ _ _ _ _ [OX]

ヒント

* (0000000010000 00000000000000000

重要

ヒント

- - | Windows | | | | | | | | | | |



- $\mathbf{5}$ [Fi ni sh] $\mathbf{0}$ $\mathbf{0}$ $\mathbf{0}$ $\mathbf{0}$ $\mathbf{0}$

重要

ヒント

-	-	Δ	20	Δ	0	1	6	Δ	 A	а	n		۸

- **3**₀₀₀₀₀₀₀₀₀₀₀₀₀₀₀
- 4 (0 0) 0 0 0 0 0 0 0 0 0 0
- 5 [0 0] 0 0 0 0 0 0 0 0 0 0
- 6 (0 0) 0 0 0 0 0 0 0 0 0 0
- - | Windows | | | | | | | | | | | |

- **2** (000000 000) 0 (0000) 0000000000
- **3**[0000 00000]000 [000000 0000]0000

ヒント



- **5** (0000)000 (0000000)0000000000
- **6**(00)0000000000
- 8 (000000)0000000000

- **12**(00)0000000000

Windows [] [] [] [] [] [] []

ヒント

4	л	m	Δ	-	Δ	A	п	-	Д	130	Δ	m	E.	A	п	4	л	m.	Δ	-	^	A	п	6	Д	-	Δ	A	Δ.	-	п	ı
					ı				,	i																					ı	ı

- **3**[00][Yes]0000000000000

- 6 d: *prograns**win98*/snart.car*/scard98*/snalib.exe [] [] [[OX] [] [] [OX] [] []
- 8 c

ヒント

レント

- **14** 00 100000000000

PC-[------

ヒント

重要

ヒント



	00000000						
	0000×000	00000000000000000000000000000000000000					
Launch Manager							
□□ LAN dient Manager	×	×					
Vi rusScan	×	×					
Intel (R) SpeedStep TM Technol ogy Applet							
Intel(R) LANDesk(R) dient Manager	×	×					
Norton Ghost 2002	×	×					
Easy CD Creator *	×	×					
000 *	×	×					
ATOK *	×	×					
Acrobat Reader							
CyberSupport for Htachi	×	×					

ヒント

重要

Launch Manager

- **3** 0000000000000000000000

□ □ LAN O i ent Manager

- $oldsymbol{1}$ $oldsymbol{\omega}$
- - [] [dient Manager Setup [] [] [] [] [] []

ヒント

ヒント

ヒント

ヒント

- 4.00.10000000000
- 5 (00)00000000000
- 7 (00)0000000000
- 9 (0 0) 0 0 0 0 0 0 0 0 0
 - _____ ORINOCO Client Manager _____

Virus Scan

- 3(00)0000000000



- 5 (0000000)00000000000)000000000

- **8** (00000000)0000000 (00)00000000000
- 9 (00)0000000000

Intel[®] SpeedStepTM Technology Applet

Intel® LANDesk® dient Manager



重要

ヒント

_		_		_		_		_		_		_		_		_		_	ı
_	~	_	-		-		100		-50		-		-	-	400	_	0		ı
	-		-	-		7.4		-2.4	-		-	2.4	-		-		-		Г
																			ı

- $oldsymbol{1}$ $oldsymbol{ iny}$

Nort on Chost 2002

- $oldsymbol{1}$ $oldsymbol{\omega}$ $oldsymbol{\omega}$

- 4 (00)00000000000

ヒント

重要

ヒント

Acrobat Reader

- $oldsymbol{1}$ $oldsymbol{\omega}$
- **2** (0000)000 (000000000000)0000000

- **5** [∞] □ □ □ □ □ □ □ □ □ □

Cyber Support for HTACH

- $oldsymbol{1}$ $oldsymbol{\omega}$
- **2** (0000)000 (00000000000)0000000
- 3 d: ¥install ¥cybersupport¥setup.exe [] [] [] [[OX] [] [] [] [] [] [] [] []


ヒント

重要

ヒント



5[]



```
Q
0000000000000
Q
```

 \boldsymbol{A}

000000000(0000)0000000000




Q











3[000]00000000000





3[O(]]







 $oldsymbol{Q}$

Q 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 Q ______ Q 0000000000000 \boldsymbol{A} ? × かくっか セットアップ・ | ポインタ | ボラン 動作 The state of the s スマートムーフ1は、新しく関いたダイアロケボックスのデフォルトのボタイニ、ボインタを自動的なこ合わせる概能です。 カーソルの軌跡 厂 有効(E) キャンセル Q

2[000]0000000000000000


3[0000]]0000000000 4[00000]]00000000000

? X ファイルの場所の Appetant
Arrow_1
Arrow_1
Arrow_1
Arrow_1
Arrow_1
Arrow_1 I Beom_rm
Busy_1
Busy_1
Busy_1
Busy_im
Busy_1 I Beam_im
I Beam_i
I Beam_i
I Beam_m
I Beam_r ファイル名(N)・ ファイルの種類(T) ポインタ (* ani. * cur) プレビュー 3 6[X]Q 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 参照 00000000000000000 0 0 0 0 0 0 0 (P. 47) Q 参照 ППППП 参照 00000000000000000 ☐ ☐ ☐ (P. 44) Q \boldsymbol{A} 参照 00000000000

参照











ППП Q A Q 詳細 | 用紙 | グラフィックス | フォント | デバイス オブション |



CD- ROM [] [] / DVD- ROM [] [] [] [] [] [] [] [] [] [
DVD ROM CD ROM
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
© ROWIDVO-ROW[[] [] [] [] [] [] [] [] [] [
A O O O O O O O O O O O O O O O O O O O
(2)

参照





 \boldsymbol{A}

00000000000000000000

Q

 \boldsymbol{A}

重要

便更

参照





参照

参照

参照


参照





は本 会性 - すべのプイル フィルの 集集の 表示の オブションの ヘルブの 名前と増削 日付 その他 名前の 意まれる文字列の
(中本: 8件 - すべのかけ) ファイルの 集集の 表示の オプラミンの ヘルプロ) 名前と場所 日付 その他 で すべてのアッイル(A) の 実践問題の法のファイル(本ぐての) (工業者的なファイル) の (日日報金郎 100/11/29 カック 101/02/27 メ) の (日日報金郎 100/11/29 カック 101/02/27 メ) の (日日報金郎 100/11/29 カック 101/02/27 メ)
50000000000000000000000000000000000000
1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0








5[00]000[000000000]0000000/0







```
Q
00000000000000000000
Q
ディスク クリーンアップ | その他のオブション | 設定 |
ディスク クリーンアップを実行すると G2 の空き領域が 187 MB 増加します。
削除するファイル(F)
■ Temporary Internet Files
■ 図 ダウンロードされたフログラム ファイ
◎ ごみ箱
◎ 一時ファイル
増加するディスク領域の合計
    9.33 MB
    -1
   ファイルの表示(グ)
    キャンセル
```



4[OM]


Q \boldsymbol{A}



Q 00 0 0 0 0 0 0 0 0 0 0 0

 \boldsymbol{A} ヒント


000000000004



@ 000000000000000000000

 \boldsymbol{A}














- - 4[00] 0 0 0 0 0 0 0 0 0 0











	П	ПП	П	ПП	ПГ	П	ПП	P	П	ПГ]
--	---	----	---	----	----	---	----	---	---	----	---

I	Ш						Ш					

00000000	00000	0000	FAX 🛮 🗎
ATCK	0000000000000000	03-5412-3980 06-6886-7160	-
	0000 00000 0000000000 0000000000000000	e-mail] internet-marks@mh.i]e-mail]]]]]]	
Easy CD Greator Norton Ghost 2002	HTACOOOOOOOOO	0120-2580-12	_

 $[\]times \ 2002 \, \rule[-4pt]{0mm}{0mm} \ 6 \, \rule[-4pt]{0mm}{0mm} \ 1 \, \rule[-4pt]{0mm}{0mm} \ [4pt]{0mm}{0mm} \ \rule[-4pt]{0mm}{0mm} \ \hspace{-4pt}{0mm} \ {4pt}{0mm} \ {4pt}$



```
ΠП
3 | | | FD | | | 44, 59
                               0 0 0 0 0 92
                               0 0 0 0 0 0 0 0 0 0 73
Acrobat Reader 52, 74
ATOK 52
                               16
BEAMSTAR | | | | | 50
BIOS Utility 28
                               ] ] ] ] 36
Boot Menu 34
                               0 0 0 0 0 57, 68
CyberSupport for HTACH 52, 74
D
                               DMA | | 21
DVD-Vi deo 21
                               0 0 0 0 0 19
Ε
Easy CD Creator 52
                               1/00 0 0 0 0 26
                               Intel LANDesk Client Manager 52, 72
                               Intel SpeedStep Applet 51, 72
IRO 26
                               L
                               LAN | | | | | 44, 61
Launch Manager 48, 69
                               0 0 0 22
N
Norton Chost 2002 52, 73
                               0 0 0 0 0 0 0 75
SystemSecurity 28
                               _ _ _ _ _ 57
VirusScan 51, 70, 102
                               000000000036
VShield 102
                               W
Wake on LAN 32
                               0 0 0 0 0 57, 44
Windows | | | 25
VV ndows □ □ □ □ 75
                               0000
```

2 2002 6
000000000000000000000000000000000000000
6

Copyright © Hitachi,Ltd. 2002. All rights reserved.

HITACHI